

# Chapter 2

## History of Programming Languages

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

1

## History

- Early History : The first programmers
- The 1940s: Von Neumann and Zuse
- The 1950s: The First Programming Language
- The 1960s: An Explosion in Programming languages
- The 1970s: Simplicity, Abstraction, Study
- The 1980s: Consolidation and New Directions
- The 1990s: the internet and web
- The 2000s: tbd

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

2

### Early History: The First Programmer

- Jacquard loom of early 1800s
  - Translated card patterns into cloth designs
- Charles Babbage’s analytical engine (1830s & 40s)
  - Programs were cards with data and operations
- Ada Lovelace – first programmer

*“The engine can arrange and combine its numerical quantities exactly as if they were letters or any other general symbols; And in fact might bring out its results in algebraic notation, were provision made.”*




CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

3

### The 1940s: Von Neumann and Zuse

John Von Neumann led a team that built computers with stored programs and a central processor. ENIAC, however, was also programmed with patch cords.



Von Neuman with ENIAC

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

4

## Konrad Zuse and Plankalkul



Konrad Zuse began work on Plankalkul (plan calculus), the first algorithmic programming language, with an aim of creating the theoretical preconditions for the formulation of problems of a general nature.

Seven years earlier, Zuse had developed and built the world's first binary digital computer, the Z1. He completed the first fully functional program-controlled electromechanical digital computer, the Z3, in 1941.

Only the Z4 – the most sophisticated of his creations -- survived World War II.

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

5

## The 1940s: Von Neumann and Zuse

### • Konrad Zuse (Plankalkul)

- in Germany - in isolation because of the war
- defined Plankalkul (program calculus) circa 1945 but never implemented it.
- Wrote algorithms in the language, including a program to play chess.
- His work finally published in 1972.
- Included some advanced data type features such as
  - » Floating point, used twos complement and hidden bits
  - » Arrays
  - » records (that could be nested)

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

6

## Plankalkul notation

$A(7) := 5 * B(6)$

V		5	*	B	=>	A	
S		1.n		1.n			(subscripts)
							(data types)

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

7

## Machine Codes (40's)

- Initial computers were programmed in raw machine codes.
- These were entirely numeric.
- What was wrong with using machine code? Everything!
  - Poor readability
  - Poor modifiability
  - Expression coding was tedious
  - Inherit deficiencies of hardware, e.g., no indexing or floating point numbers

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

8

## The 1950s: The First Programming Language

- Pseudocodes: interpreters for assembly language like
- Fortran: the first higher level programming language
- COBOL: the first business oriented language
- Algol: one of the most influential programming languages ever designed
- LISP: the first language outside the von Neumann model
- APL:

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

9

## Pseudocodes (1949)

- Short Code or SHORTCODE - John Mauchly, 1949.
- Pseudocode interpreter for math problems, on Eckert and Mauchly's BINAC and later on UNIVAC I and II.
- Possibly the first attempt at a higher level language.
- Expressions were coded, left to right, e.g.:

```
X0 = sqrt(abs(Y0))  
00 X0 03 20 06 Y0
```

- Some operations:

01 -	06 abs	1n (n+2)nd power
02 )	07 +	2n (n+2)nd root
03 =	08 pause	4n if <= n
04 /	09 (	58 print & tab

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

10

## More Pseudocodes

### Speedcoding; 1953-4

- A pseudocode interpreter for math on IBM701, IBM650.
- Developed by John Backus
- Pseudo ops for arithmetic and math functions
- Conditional and unconditional branching
- Autoincrement registers for array access
- Slow but still dominated by slowness of s/w math
- Interpreter left only 700 words left for user program

### Laning and Zierler System - 1953


- Implemented on the MIT Whirlwind computer
- First "algebraic" compiler system
- Subscripted variables, function calls, expression translation
- Never ported to any other machine

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

11

## Fortran (1954-57)

- FORMula TRANslator
- Developed at IBM under the guidance of John Backus primarily for scientific, computational programming
- Dramatically changed forever the way computers used
- Has continued to evolve, adding new features & concepts.
  - FORTRAN II, FORTRAN IV, FORTRAN66, FORTRAN77, FORTRAN90
- Always among the most efficient compilers, producing fast code



CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

12

# UMBC CMSC 331

## Fortran 0 and 1

FORTRAN 0 – 1954 (not implemented)

FORTRAN I - 1957

Designed for the new IBM 704, which had index registers and floating point hardware

### Environment of development:

Computers were small and unreliable

Applications were scientific

No programming methodology or tools

Machine efficiency was most important

### Impact of environment on design

- No need for dynamic storage
- Need good array handling and counting loops
- No string handling, decimal arithmetic, or powerful input/output (commercial stuff)

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

13

## Fortran I Features

- Names could have up to six characters
- Posttest counting loop (DO)
- Formatted I/O
- User-defined subprograms
- Three-way selection statement (arithmetic IF)  
IF (ICOUNT-1) 100 200 300
- No data typing statements  
variables beginning with i, j, k, l, m or n were integers, all else floating point
- No separate compilation
- Programs larger than 400 lines rarely compiled correctly, mainly due to poor reliability of the 704
- Code was very fast
- Quickly became widely used

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

14

## Fortran II, IV and 77

FORTRAN II - 1958

- Independent compilation
- Fix the bugs

FORTRAN IV - 1960-62

- Explicit type declarations
- Logical selection statement
- Subprogram names could be parameters
- ANSI standard in 1966

FORTRAN 77 - 1978

- Character string handling
- Logical loop control statement
- IF-THEN-ELSE statement

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

15

## Fortran 90 (1990)

Added many features of more modern programming languages, including

- Pointers
- Recursion
- CASE statement
- Parameter type checking
- A collection of array operations, DOTPRODUCT, MATMUL, TRANSPOSE, etc
- dynamic allocations and deallocation of arrays
- a form of records (called derived types)
- Module facility (similar Ada's package)

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

16

# UMBC CMSC 331

## COBOL

- C**Om**mon B**u**siness O**ri**ented L**an**guage
- Principal mentor: (Rear Admiral Dr.) Grace Murray Hopper (1906-1992)
- *Based on FLOW-MATIC* which had such features as:
  - Names up to 12 characters, with embedded hyphens
  - English names for arithmetic operators
  - Data and code were completely separate
  - Verbs were first word in every statement
- CODASYL committee (Conference on Data Systems Languages) developed a programming language by the name of COBOL



CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

17

## COBOL



CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

18

## COBOL

First CODASYL Design Meeting - May 1959

Design goals:

- Must look like simple English
- Must be easy to use, even if that means it will be less powerful
- Must broaden the base of computer users
- Must not be biased by current compiler problems

Design committee were all from computer manufacturers and DoD branches

Design Problems: arithmetic expressions? subscripts?  
Fights among manufacturers

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

19

## COBOL

Contributions:

- First macro facility in a high-level language
- Hierarchical data structures (records)
- Nested selection statements
- Long names (up to 30 characters), with hyphens
- Data Division

Comments:

- First language required by DoD; would have failed without DoD
- Still the most widely used business applications language

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

20

# UMBC CMSC 331

## BASIC (1964)

- Beginner's All purpose Symbolic Instruction Code
- Designed by Kemeny & Kurtz at Dartmouth for the GE 225 with the goals:
  - Easy to learn and use for non-science students and as a path to Fortran and Algol
  - Must be "pleasant and friendly"
  - Fast turnaround for homework
  - Free and private access
  - User time is more important than computer time
- Well suited for implementation on first PCs (e.g., Gates and Allen's 4K Basic interpreter for the MITS Altair personal computer (circa 1975))
- Current popular dialects: Visual BASIC

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

21

## LISP (1959)

- LISP Processing language (Designed at MIT by McCarthy)
- *AI research needed a language that:*
  - Process data in lists (rather than arrays)
  - Symbolic computation (rather than numeric)
- One universal, recursive data type: the s-expression
  - An s-expression is either an atom or a list of zero or more s-expressions
- Syntax is based on the lambda calculus
- *Pioneered functional programming*
  - No need for variables or assignment
  - Control via recursion and conditional expressions
- Status
  - Still the dominant language for AI
  - COMMON LISP and Scheme are contemporary dialects
  - ML, Miranda, and Haskell are related languages

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

22

## Algol

*Environment of development:*

1. FORTRAN had (barely) arrived for IBM 70x
2. Many other languages were being developed, all for specific machines
3. No portable language; all were machine dependent
4. No universal language for communicating algorithms

ACM and GAMM met for four days for design

*- Goals of the language:*

1. Close to mathematical notation
2. Good for describing algorithms
3. Must be translatable to machine code

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

23

## Algol 58 Features

- Concept of type was formalized
  - Names could have any length
  - Arrays could have any number of subscripts
  - Parameters were separated by mode (in & out)
  - Subscripts were placed in brackets
  - Compound statements (begin ... end)
  - Semicolon as a statement separator
  - Assignment operator was :=
  - if had an else-if clause
- Comments:**
- Not meant to be implemented, but variations of it were (MAD, JOVIAL)
  - Although IBM was initially enthusiastic, all support was dropped by mid-1959

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

24

# UMBC CMSC 331

## Algol 60

Modified ALGOL 58 at 6-day meeting in Paris adding such new features as:

- Block structure (local scope)
- Two parameter passing methods
- Subprogram recursion
- Stack-dynamic arrays
- Still no i/o and no string handling

*Successes:*

- It was the standard way to publish algorithms for over 20 years
- All subsequent imperative languages are based on it
- First machine-independent language
- First language whose syntax was formally defined (BNF)

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

25

## Algol 60 (1960)

*Failure:* Never widely used, especially in U.S., mostly because

1. No i/o and the character set made programs nonportable
2. Too flexible--hard to implement
3. Entrenchment of FORTRAN
4. Formal syntax description
5. Lack of support of IBM

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

26

## APL

- designed by K.Iverson at Harvard in late 1950's
- A Programming Language
- A language for programming mathematical computations
  - especially those using matrices
- Functional style and many whole array operations
- Drawback is requirement of special keyboard

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

27

## The 1960s: An Explosion in Programming Languages

- The development of hundreds of programming languages
- PL/1 designed in 1963-4
  - supposed to be all purpose
  - combined features of FORTRAN, COBOL and Algol60 and more!
  - translators were slow, huge and unreliable
  - some say it was ahead of its time.....
- Algol68
- SNOBOL
- Simula
- BASIC

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

28

# UMBC CMSC 331

## PL/I

- Computing situation in 1964 (IBM's point of view)
  - Scientific computing
    - IBM 1620 and 7090 computers
    - FORTRAN
    - SHARE user group
  - Business computing
    - IBM 1401, 7080 computers
    - COBOL
    - GUIDE user group
- IBM's goal: develop a single computer (IBM 360) and a single programming language (PL/I) that would be good for scientific and business applications.
- Eventually grew to include virtually every idea in current practical programming languages.

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

29

## PL/I

### PL/I contributions:

1. First unit-level concurrency
2. First exception handling
3. Switch-selectable recursion
4. First pointer data type
5. First array cross sections

### Comments:

- Many new features were poorly designed
- Too large and too complex
- Was (and still is) actually used for both scientific and business applications
- Subsets (e.g. PL/C) developed which were more manageable

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

30

## Simula (1962-67)

- Designed and built by Ole-Johan Dahl and Kristen Nygaard at the Norwegian Computing Centre (NCC) in Oslo between 1962 and 1967
  - Originally designed and implemented as a language for discrete event simulation
  - Based on ALGOL 60
- Primary Contributions:*
- Coroutines - a kind of subprogram
  - Classes (data plus methods) and objects
  - Inheritance
  - Dynamic binding
- => Introduced the basic ideas that developed into object-oriented programming.

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

31

## Algol 68

From the continued development of ALGOL 60, but it is not a superset of that language

- Design is based on the concept of orthogonality

### Contributions:

- User-defined data structures
- Reference types
- Dynamic arrays (called flex arrays)

### Comments:

- Had even less usage than ALGOL 60
- Had strong influence on subsequent languages, especially Pascal, C, and Ada

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

32

# UMBC CMSC 331

## The 1970s: Simplicity, Abstraction, Study

- Algol-W - Niklaus Wirth and C.A.R. Hoare
  - reaction against 1960s
  - simplicity
- Pascal
  - small, simple, efficient structures
  - for teaching program
- C - 1972 - Dennis Ritchie
  - aims for simplicity by reducing restrictions of the type system
  - allows access to underlying system
  - interface with O/S - UNIX

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

33

## Pascal (1971)

- Designed by Wirth, who quit the ALGOL 68 committee (didn't like the direction of that work)
- Designed for teaching structured programming
- Small, simple
- Introduces some modest improvements, such as the case statement
- Was widely used for teaching programming ~ 1980-1995.

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

34

## C (1972-)

- Designed for systems programming at Bell Labs by Dennis Richie and colleagues.
- Evolved primarily from B, but also ALGOL 68
- Powerful set of operators, but poor type checking
- Initially spread through UNIX and the availability of high quality, free compilers.

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

35

## Other descendants of ALGOL

- **Modula-2** (mid-1970s by Niklaus Wirth at ETH)
  - Pascal plus modules and some low-level features designed for systems programming
- **Modula-3** (late 1980s at Digital & Olivetti)
  - Modula-2 plus classes, exception handling, garbage collection, and concurrency
- **Oberon** (late 1980s by Wirth at ETH)
  - Adds support for OOP to Modula-2
  - Many Modula-2 features were deleted (e.g., for statement, enumeration types, with statement, noninteger array indices)

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

36

## The 1980s: Consolidation and New Paradigms

- Ada
  - US Department of Defence
  - European team lead by Jean Ichbiah
- Functional programming
  - Scheme, ML, Haskell
- Logic programming
  - Prolog
- Object-oriented programming
  - Smalltalk, C++, Eiffel

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

37

## Ada

- In study done in 73-74 it was determined that the US DoD was spending \$3B annually on software, over half on embedded computer systems.
- The Higher Order Language Working Group was formed and initial language requirements compiled and refined in 75-76 and existing languages evaluated.
- In 1997, it was concluded that none were suitable, though Pascal, ALGOL 68 or PL/I would be a good starting point.
- Language DoD-1 was developed thru a series of competitive contracts.

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

38

## Ada

- Renamed Ada in May 1979.
- Reference manual, Mil. Std. 1815 approved 10 December 1980. (Ada Bryon was born 10/12/1815)
- “mandated” for use in DoD work during late 80’s and early 90’s.
- Ada95, a joint ISO and ANSI standard, accepted in February 1995 and included many new features.
- The Ada Joint Program Office (AJPO) closed 1 October 1998 (Same day as ISO/IEC 14882:1998 (C++) published!)

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

39

## Ada

### *Contributions:*

1. Packages - support for data abstraction
2. Exception handling - elaborate
3. Generic program units
4. Concurrency - through the tasking model

### *Comments:*

- Competitive design
- Included all that was then known about software engineering and language design
- First compilers were very difficult; the first really usable compiler came nearly five years after the language design was completed
- Very difficult to mandate programming technology

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

40

## Logic Programming: Prolog

- Developed at the University of Aix Marseille, by Comerauer and Roussel, with some help from Kowalski at the University of Edinburgh
- Based on formal logic
- Non-procedural
- Can be summarized as being an intelligent database system that uses an inferencing process to infer the truth of given queries

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

41

## Functional Programming

- **Common Lisp:** consolidation of LISP dialects spurred practical use, as did the development of Lisp Machines.
- **Scheme:** a simple and pure LISP like language used for teaching programming.
- **Logo:** Used for teaching young children how to program.
- **ML:** (MetaLanguage) a strongly-typed functional language first developed by Robin Milner in the 70's
- **Haskell:** polymorphically typed, lazy, purely functional language.

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

42

## Smalltalk (1972-80)

- Developed at Xerox PARC by Alan Kay and colleagues (esp. Adele Goldberg) inspired by Simula 67
- First compilation in 1972 was written on a bet to come up with "the most powerful language in the world" in "a single page of code".
- In 1980, Smalltalk 80, a uniformly object-oriented programming environment became available as the first commercial release of the Smalltalk language
- Pioneered the graphical user interface everyone now uses
- Saw some industrial use in late 80's and early 90's

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

43

## C++ (1985)

- Developed at Bell Labs by Stroustrup
- Evolved from C and SIMULA 67
- Facilities for object-oriented programming, taken partially from SIMULA 67, added to C
- Also has exception handling
- A large and complex language, in part because it supports both procedural and OO programming
- Rapidly grew in popularity, along with OOP
- ANSI standard approved in November, 1997

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

44

## Eiffel

- Eiffel - a related language that supports OOP
  - (Designed by Bertrand Meyer - 1992)
  - Not directly derived from any other language
  - Smaller and simpler than C++, but still has most of the power

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

45

## 1990's: the internet and web

During the 90's, Object-oriented languages (mostly C++) became widely used in practical applications

The Internet and Web drove several phenomena:

- Adding concurrency and threads to existing languages
- Increased use of scripting languages such as Perl and Tcl/Tk
- Java as a new programming language

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

46

## Java

- Developed at Sun in the early 1990s with original goal of a language for embedded computers
- Principals: Bill Joy, James Gosling, Mike Sheridan, Patrick Naughton
- Original name, Oak, changed for copyright reasons
- Based on C++ but significantly simplified
- Supports *only* OOP
- Has references, but not pointers
- Includes support for applets and a form of concurrency



CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

47

## The future

- The 60's dream was a single all purpose language (e.g., PL/I, Algol)
- The 70s and 80s dream expressed by Winograd (1979)
  - “Just as high-level languages allow the programmer to escape the intricacies of the machine, higher level programming systems can provide for manipulating complex systems. We need to shift away from algorithms and towards the description of the properties of the packages that we build. Programming systems will be declarative not imperative”
- Will that dream be realised?
- Programming is not yet obsolete

CMSC 331. Some material © 1998 by Addison Wesley Longman, Inc.

48