

Programming Languages

Introduction

Overview

- **Motivation**
- **Why study programming languages?**
- **Some key concepts**

**What is a
programming
language?**

en.wikipedia.org/wiki/Programming_language

Programming language

From Wikipedia, the free encyclopedia

A **programming language** is an artificial [language](#) designed to communicate [instructions](#) to a [machine](#), particularly a [computer](#) or [mobile device](#). Programming languages can be used to create [programs](#) that control the behavior of a machine and/or to express [algorithms](#) precisely.

The earliest programming languages predate the [invention of the computer](#), and were used to direct the behavior of machines such as [Jacquard looms](#) and [player pianos](#). Thousands of different programming languages have been created, mainly in the computer field, with many more being created every year. Most programming languages describe computation in an [imperative](#) style, i.e., as a sequence of commands, although some languages, such as those that support [functional programming](#) or [logic programming](#), use alternative forms of description.

A programming language is usually split into the two components of [syntax](#) (form) and [semantics](#) (meaning). Some languages are defined by a specification document (for example, the [C programming language](#) is specified by an [ISO Standard](#)), while other languages, such as [Perl](#), have a dominant [implementation](#) that is used as a reference.

Programming language lists

- [Alphabetical](#)
- [Categorical](#)
- [Chronological](#)
- [Generational](#)

Contents [hide]

- 1 Definitions
- 2 Elements
 - 2.1 Syntax
 - 2.2 Semantics
 - 2.2.1 Static semantics
 - 2.2.2 Dynamic semantics
 - 2.2.3 Type system
 - 2.3 Standard library and run-time system
- 3 Design and implementation
 - 3.1 Specification
 - 3.2 Implementation
- 4 Usage
 - 4.1 Measuring language usage
- 5 Taxonomies
- 6 History
 - 6.1 Early developments
 - 6.2 Refinement
 - 6.3 Consolidation and growth
- 7 See also
- 8 References
- 9 Further reading
- 10 External links

- Artificial language
- Computers
- Programs
- Syntax
- Semantics



What is a programming language?

“...there is **no agreement** on what a programming language really is and what its main purpose is supposed to be. Is a programming language a tool for **instructing machines**? A means of **communicating between programmers**? A vehicle for expressing **high-level designs**? A **notation for algorithms**? A way of expressing relationships between concepts? A tool for experimentation? A means of **controlling computerized devices**? My view is that a general-purpose programming language must be **all of those to serve its diverse set of users**. The only thing a language cannot be – and survive – is a mere collection of “neat” features.”

-- Bjarne Stroustrup, The Design and Evolution of C++
http://cs.umbc.edu/courses/331/papers/dne_notes.pdf


On language and thought (1)

- Idea: language effects thought
 - “A strong version of the hypothesis holds that language determines thought and that linguistic categories limit and determine cognitive categories. A weaker version states that linguistic categories and usage influence thought and certain kinds of non-linguistic behaviour.” – [Wikipedia](#)
- Still controversial for natural languages: eskimos, numbers, etc.
 - See [Does Your Language Shape How You Think?](#)
- Does a choice of a programming language effect the program ‘ideas’ you can express?

On language and thought (2)

- “The tools we use have a profound (and devious!) influence on our thinking habits, and therefore, on our thinking abilities.”
-- [Edsger Dijkstra](#),
[*How do we tell truths that might hurt*](#)
- “A language that doesn't affect the way you think about programming, is not worth knowing”
-- [Alan Perlis](#)

On languages and thought (3)



“What doesn't exist are really powerful general forms of arguing with computers right now. So we have to have special orders coming in on special cases and then think up ways to do it. Some of these are generalizable and eventually you will get an actual engineering discipline.”

-- Alan Kay, Educom Review

Alan Kay is one of the inventors of the Smalltalk programming language and one of the fathers of the idea of OOP. He is the conceiver of the laptop computer and the architect of the modern windowing GUI.

Some General Underlying Issues

- Why study PL concepts?
- Programming domains
- PL evaluation criteria
- What influences PL design?
- Tradeoffs faced by programming languages
- Implementation methods
- Programming environments

Why study Programming Language Concepts?

- Increased capacity to express programming concepts
- Improved background for choosing appropriate languages
- Enhanced ability to learn new languages
- Improved understanding of the significance of implementation
- Increased ability to design new languages
- Mastering different programming paradigms

Programming Domains

- Scientific applications
- Business applications
- Artificial intelligence
- Systems programming
- Scripting languages
- Special purpose languages
- *Mobile, educational, Web, massively parallel, ...*

Language Evaluation Criteria

- Readability
- Writability
- Reliability
- Cost
- Etc...

Evaluation Criteria: Readability

- How easy is it to read and understand programs written in the programming language?
- Arguably the most important criterion!
- Factors effecting readability include:
 - **Overall simplicity:** too many features is bad as is a multiplicity of features
 - **Orthogonality:** a relatively small set of primitive constructs combinable in a relatively small number of ways to build the language's control and data structures
 - » Makes the language easy to learn and read
 - » Meaning is context independent
 - **Control statements**
 - **Data type and structures**
 - **Syntax considerations**

Evaluation Criteria: Writability

How easy is it to write programs in the language?

Factors effecting writability:

- Simplicity and orthogonality
- Support for abstraction
- Expressivity
- Fit for the domain and problem

Evaluation Criteria: Reliability

Factors:

- Type checking
- Exception handling
- Aliasing
- Readability and writability

Evaluation Criteria: Cost

Categories:

- Programmer training
- Software creation
- Compilation
- Execution
- Compiler cost
- Poor reliability
- Maintenance

Evaluation Criteria: others

- Portability
- Generality
- Well-definedness
- Good fit for hardware (e.g., cell) or environment (e.g., Web)
- etc...


Language Design Influences

Computer architecture



- We use **imperative** languages, at least in part, because we use **von Neumann** machines
 - John von Neuman is generally considered to be the inventor of the "stored program" machines, the class to which most of today's computers belong
 - One CPU + one memory system that contains *both* program and data
- Focus on moving data and program instructions between registers in CPU to memory locations
- Fundamentally sequential

Von Neumann Architecture



Language Design Influences:

Programming methodologies

- *50s and early 60s*: Simple applications; worry about machine efficiency
- *Late 60s*: People efficiency became important; readability, better control structures. maintainability
- *Late 70s*: Data abstraction
- *Middle 80s*: Object-oriented programming
- *90s*: distributed programs, Internet
- *00s*: Web, user interfaces, graphics, mobile, services
- *10s*: *parallel computing*, cloud computing?, pervasive computing?, semantic computing?, virtual machines?

Language Categories

The big four PL paradigms:

- Imperative or procedural (e.g., Fortran, C)
- Object-oriented (e.g. Smalltalk, Java)
- Functional (e.g., Lisp, ML)
- Rule based (e.g. Prolog, Jess)

Others:

Scripting (e.g., Python, Perl, PHP, Ruby)

Constraint (e.g., Eclipse)

Concurrent (Occam)

...

Language Design Trade-offs

Reliability versus cost of execution

Ada, unlike C, checks all array indices to ensure proper range but has very expensive compilation

Writability versus readability

$(2 = 0 + . = T o. | T) / T <- iN$

APL one-liner producing prime numbers from 1 to N, obscure to all but the author


Flexibility versus safety

C, unlike Java, allows one to do arithmetic on pointers, see [worse is better](#)


Implementation methods

- **Direct execution by hardware**
e.g., native machine language
- **Compilation to another language**
e.g., C compiled to native machine language for Intel Pentium 4
- **Interpretation: direct execution by software**
e.g., csh, Lisp (traditionally), Python, JavaScript
- **Hybrid: compilation then interpretation**
Compilation to another language (aka bytecode), then interpreted by a 'virtual machine', e.g., Java, Perl
- **Just-in-time compilation**
Dynamically compile some bytecode to native code (e.g., V8 javascript engine)


Compilation



Interpretation



Hybrid



Programming Environments

- Collection of tools used in software development, often including an integrated editor, debugger, compiler, collaboration tool, etc.
- Modern Integrated Development Environments (IDEs) tend to be language specific, allowing them to offer support at the level at which the programmer thinks.
- Examples:
 - UNIX -- Operating system with tool collection
 - EMACS – a highly programmable text editor
 - Smalltalk -- A language processor/environment
 - Microsoft Visual C++ -- A large, complex visual environment
 - Your favorite Java environment: BlueJ, Jbuilder, J++, ...
 - Generic: IBM's Eclipse

Summary

- Programming languages have many aspects & uses
- There are many reasons to study the concepts underlying programming languages
- There are several criteria for evaluating PLs
- Programming languages are constantly evolving
- Classic techniques for executing PLs are compilation and interpretation, with variations